Page 1/7 onio Safety data sheet according to 1907/2006/EC, Article 31 Printing date 28.05.2015 Version number 2 Revision: 28.05.2015 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Hydralube HLP-D 10 • Article number: 34210 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Hydraulic fluid · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D-47059 Duisburg Tel: 0049 (0)203 31919-0 Fax: 0049 (0)203 31919-99 E-mail:info@swd-gmbh.de · Further information obtainable from: Department product safety sdb@swd-gmbh.de · 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard statements

H304 May be fatal if swallowed and enters airways.

- · Precautionary statements
- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version number 2

Revision: 28.05.2015

Trade name: Hydralube HLP-D 10

	(Contd. of page 1)	
P301+P3	310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P331	Do NOT induce vomiting.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
· 2.3 Other	r hazards	
· Results of PBT and vPvB assessment		

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

Not applicable

- · Identification number(s) Not applicable
- · 3.2 Chemical characterisation: Mixtures
- · Description: Preparation of base oils and additives.

· Dangerous components: Void

- · SVHC None
- Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbonmonoxide and Carbondioxide Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)



Printing date 28.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 28.05.2015

Trade name: Hydralube HLP-D 10

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Avoid the formation of oil haze.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles:
- Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- Storage in a collecting room is required.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Oilfog and Oilfumes TLV-8h-TWA 5mg/m³

TLV-15min-STEL 10mg/m³

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Sud Listication High duality oils made in germany

Printing date 28.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 28.05.2015

(Contd. of page 3)

Trade name: Hydralube HLP-D 10

· Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Not suitable are gloves made of the following materials: Leather gloves
- Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

General Information	
Appearance:	clear
· Form:	Fluid
· Colour:	Light brown
· Odour:	Mineral-oil-like
· Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Pour point	- 36 °C (DIN (ISO) 3016)
Flash point:	175 °C (DIN (ISO) 2592)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density at 20 °C:	0.85 g/cm ³ (DIN 51757)
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 •C:	10 mm ² /s (DIN 51562)
Solvent content:	
Organic solvents:	0.0 %





Printing date 28.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

(Contd. of page 4)

Trade name: Hydralube HLP-D 10

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:
- Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)
- 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

Oral LD50 > 2000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organismn.

68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

EC50 1 - 1.5 mg/kg (daphnia) (OECD Guide-line 202 part1, Daphnia A.I.T.)

- · 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential Not worth-mentioning accumulating in organisms
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- *Remark:* The product can easily be separated by an oil separator (skimmer) of the water surface.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

GB



Printing date 28.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 28.05.2015

(Contd. of page 5)

Trade name: Hydralube HLP-D 10

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 01 10* mineral based non-chlorinated hydraulic oils

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
1221,121,1220,1111		
 14.2 UN proper shipping name 		
· ADR, ADN, IMDG, IATA	Void	
, , ,		
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA		
· Class	Void	
Cuss	Volu	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
ADR, IMDO, IATA	Voiu	
· 14.5 Environmental hazards:		
• Marine pollutant:	No	
marme ponanam.	110	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Transport in bulk according to Annex II of		
	•	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	
0		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

(Contd. on page 7)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version number 2

Revision: 28.05.2015

Trade name: Hydralube HLP-D 10

(Contd. of page 6)

- · Hazard statements
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements
- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- *P331* Do NOT induce vomiting.
- P405 Store locked up.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- · Other regulations, limitations and prohibitive regulations None
- · Substances of very high concern (SVHC) according to REACH, Article 57 None
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases Not applicable.
- · Department issuing MSDS: Product safety
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
- Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- · Sources Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.
- \cdot * Data compared to the previous version altered.