

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Primus GF5 Plus SAE 0W-20 • Article number: 31148 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Motor oil multigrade \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D-47059 Duisburg Tel: 0049 (0)203 31919-0 Fax: 0049 (0)203 31919-99 E-mail:info@swd-gmbh.de · Further information obtainable from: Department product safety sdb@swd-gmbh.de · 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64742-54-7	Distillates (p
EINECS: 265-157-1	🚸 Asp. Tox.
Index number: 649-467-00-8	V 1
Reg.nr.: 01-2119484627-25-0000	

petroleum), hydrotreated heavy paraffinic 1. H304

50-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

(Contd. of page 1)

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Carbon dioxide (CO2)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Storage in a collecting room is required.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information:
- The lists valid during the making were used as basis.

Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

	(Contd. of page
Individual protection measures, such as personal	protective equipment
General protective and hygienic measures:	1. 1 1 11. 1 . 1
The usual precautionary measures are to be adher	red to when handling chemicals.
Respiratory protection: Not required.	
Hand protection	
	istant to the product/ the substance/ the preparation. ion of the penetration times, rates of diffusion and t
Material of gloves Nitrile rubber, NBR	
Recommended thickness of the material: > 0,2 mm	
and varies from manufacturer to manufacturer.	depend on the material, but also on further marks of quar As the product is a preparation of several substances, ated in advance and has therefore to be checked prior to
Not applicable	
None	
Penetration time of glove material	
	by the manufacturer of the protective gloves and has to
observed.	
Not suitable are gloves made of the following ma	
Eye/face protection Goggles recommended during	g refilling
	properties
General Information	-
General Information Physical state	- Fluid
General Information Physical state Colour:	- Fluid Dark brown
General Information Physical state Colour: Odour:	- Fluid Dark brown Characteristic
General Information Physical state Colour: Odour: Odour threshold:	- Fluid Dark brown Characteristic Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point:	- Fluid Dark brown Characteristic
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling	Fluid Dark brown Characteristic Not determined. Undetermined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	Fluid Dark brown Characteristic Not determined. Undetermined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined.
Flammability Lower and upper explosion limit Lower: Upper: Flash point:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. 222 °C (DIN ISO 2592)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. 222 °C (DIN ISO 2592) Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. 222 °C (DIN ISO 2592) Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic:	Fluid Dark brown Characteristic Not determined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water:	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure:	 Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	 Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined.
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density	 Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C:	 Fluid Dark brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 222 °C (DIN ISO 2592) Not determined. Not determined. Not determined. Not determined.



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of healt environment, and on safety.	th and
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Solvent content:	
Solids content:	0.0 %
Change in condition	
Softening point/range	
Pour point	-45 °C (DIN ISO 3016)
Evaporation rate	Not determined.
Information with regard to physical hazard c	lasses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamme	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

Oral LD50 >2,000 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

 $(Contd. \ on \ page \ 5)$

EU



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

(Contd. of page 4)

- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.* • *STOT-single exposure Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · Degree of elimination:

CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

- EC50 1-1.5 mg/kg (daphnia) (OECD Guide-line 202 part1, Daphnia A.I.T.)
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information	tion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
		(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

(Contd. of page 5
Void
-
Void
Void
Not applicable.
Not applicable.
-
10
Not applicable.
-
NOT SUBJECT TO ADR
Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Information about limitation of use: none

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Product safety
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)

EU



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.05.2020

Trade name: Primus GF5 Plus SAE 0W-20

	(Contd. of page 6)
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Asp. Tox. 1: Aspiration hazard – Category 1	
Sources Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.	
• * Data compared to the previous version altered.	
	FU