

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.03.2021

1.1	Product identifier
Tra	le name: <u>Primus GF5 Plus SAE 5W-20</u>
1.2 No Apj Mo	cle number: 31198 Relevant identified uses of the substance or mixture and uses advised against auther relevant information available. lication of the substance / the mixture or oil multigrade ositätsklasse: SAE 5W-20
Ma SW Am D-4 Tel Fa:	Details of the supplier of the safety data sheet oufacturer/Supplier: D Lubricants GmbH & Co.KG Schlütershof 26 7059 Duisburg 0049 (0)203 31919-0 : 0049 (0)203 31919-99 ail:info@swd-gmbh.de
De sdb 1.4	t her information obtainable from: artment product safety @swd-gmbh.de E mergency telephone number: rmationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

• *Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.*

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Preparation of base oils and additives.

· Dangerous components:

CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 25-50%

Reg.nr.: 01-2119484627-25-0000

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- \cdot General information: Take affected persons out of danger area and lay down.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

^{· 2.2} Label elements



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.03.2021

(Contd. of page 1)

Trade name: Primus GF5 Plus SAE 5W-20

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray.
- Use fire extinguishing methods suitable to surrounding conditions.
- $\cdot \textit{For safety reasons unsuitable extinguishing agents: Water with full jet}$
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbonmonoxide and Carbondioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- \cdot 6.1 Personal precautions, protective equipment and emergency procedures
- Keep people at a distance and stay on the windward side.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Storage in a collecting room is required.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Oilfog and Oilfumes TLV-8h-TWA 5mg/m³ TLV-15min-STEL 10mg/m³

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.03.2021

Trade name: Primus GF5 Plus SAE 5W-20

(Contd. of page 2)

• Additional information:	
---------------------------	--

The lists valid during the making were used as basis.

Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- \cdot General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.
- · Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Not suitable are gloves made of the following materials: Leather gloves
- · Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
· General Information	1
· Physical state	Fluid
· Colour:	Brown
· Odour:	Characteristic
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	230 °C (DIN ISO 2592)
• Auto-ignition temperature:	Not determined.
• Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity at 40 °C	47.5 mm ² /s (DIN 51562)
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
	(Contd. on page



Printing date 10.03.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.03.2021

Trade name: Primus GF5 Plus SAE 5W-20

	(Contd. of page
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of heal environment, and on safety.	th and
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
Solvent content:	
Solids content:	0.0 %
Change in condition	
Softening point/range	
Pour point	-45 °C (DIN ISO 3016)
Evaporation rate	Not determined.
Information with regard to physical hazard o	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and *reactivity*

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.
- \cdot LD/LC50 values relevant for classification:

Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)

CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

Oral LD50 >2,000 mg/kg (rat)

(Contd. on page 5)

EU

Rheinol

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.03.2021

Trade name: Primus GF5 Plus SAE 5W-20

(Contd. of page 4)
· Skin corrosion/irritation
Prolonged skin contact it may cause irritations
Based on available data, the classification criteria are not met.
• Serious eye damage/irritation Based on available data, the classification criteria are not met.
• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
• Germ cell mutagenicity Based on available data, the classification criteria are not met.
• Carcinogenicity Based on available data, the classification criteria are not met.
• Reproductive toxicity Based on available data, the classification criteria are not met.
• STOT-single exposure Based on available data, the classification criteria are not met.
• STOT-repeated exposure Based on available data, the classification criteria are not met.
• Aspiration hazard Based on available data, the classification criteria are not met.
• Additional toxicological information:
Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any
skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)
· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45
is deleted. (Note L)
· 11.2 Information on other hazards
· Endocrine disrupting properties
None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Not easily biodegradable
- · Degree of elimination:
- CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

EC50 1-1.5 mg/kg (daphnia) (OECD Guide-line 202 part1, Daphnia A.I.T.)

· 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- *Remark:* The product can easily be separated by an oil separator (skimmer) of the water surface.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

(Contd. on page 6)



Printing date 10.03.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.03.2021

(Contd. of page 5)

Trade name: Primus GF5 Plus SAE 5W-20

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information	ion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Information about limitation of use: none

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

(Contd. on page 7) EU



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2021

Version number 1

Revision: 10.03.2021

Trade name: Primus GF5 Plus SAE 5W-20

	(Contd. of pag
Department issuing SDS: Pro	oduct safety
Abbreviations and acronyms:	
2	ort des marchandises dangereuses par Route (European Agreement concerning the Internation
Carriage of Dangerous Goods by Ro	
IMDG: International Maritime Code	for Dangerous Goods
IATA: International Air Transport As	sociation
GHS: Globally Harmonised System of	f Classification and Labelling of Chemicals
EINECS: European Inventory of Exis	ting Commercial Chemical Substances
ELINCS: European List of Notified C	Themical Substances
CAS: Chemical Abstracts Service (di	vision of the American Chemical Society)
LC50: Lethal concentration, 50 perc	ent
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative an	d Toxic
vPvB: very Persistent and very Bioad	cumulative
Asp. Tox. 1: Aspiration hazard – Cat	egory 1
· Sources Concawe Product Do	ssier No.97/108. Concawe Product Dossier Nn. 01/54.
\cdot * Data compared to the previ	ous version altered.